




# Cable Accessories


## Cable Ties



- Manufactured from nylon 6/6
- Resistant to oils and greases
- Nylon 6/6 is ultraviolet resistant for outdoor applications

Code	Description
<b>BLACK</b>	
AVCT100-2.5B	100mm x 2.5mm (per 100)
AVCT140-3.6B	140mm x 3.6mm (per 100)
AVCT160-2.5B	160mm x 2.5mm (per 100)
AVCT160-4.8B	160mm x 4.8mm (per 100)
AVCT200-2.5B	200mm x 2.5mm (per 100)
AVCT200-3.6B	200mm x 3.6mm (per 100)
AVCT200-4.8B	200mm x 4.8mm (per 100)
AVCT300-4.8B	300mm x 4.8mm (per 100)
AVCT300-7.8B	300mm x 7.8mm (per 100)
AVCT370-4.8B	370mm x 4.8mm (per 100)
AVCT450-8.0B	450mm x 8.0mm (per 100)
AVCT540-8.0B	540mm x 8.0mm (per 100)
<b>NATURAL</b>	
AVCT100-2.5N	100mm x 2.5mm (per 100)
AVCT140-3.6N	140mm x 3.6mm (per 100)
AVCT160-2.5N	160mm x 2.5mm (per 100)
AVCT160-4.8N	160mm x 4.8mm (per 100)
AVCT200-2.5N	200mm x 2.5mm (per 100)
AVCT200-3.6N	200mm x 3.6mm (per 100)
AVCT200-4.8N	200mm x 4.8mm (per 100)
AVCT300-4.8N	300mm x 4.8mm (per 100)
AVCT370-4.8N	370mm x 4.8mm (per 100)
AVCT540-8.0N	540mm x 8.0mm (per 100)
<b>RED</b>	
AVCT200-4.8R	200mm x 4.8mm (per 100)
AVCT300-4.8R	300mm x 4.8mm (per 100)

## Cable Tie Mountings



Code	Description
<b>SELF ADHESIVE MOUNTING BASES</b>	
AVCTB20B	19mm x 19mm black (per 100)
AVCTB20N	19mm x 19mm natural (per 100)
AVCTB28B	28mm x 28mm black (per 100)
AVCTB28N	28mm x 28mm natural (per 100)
<b>MOUNTING CRADLE</b>	
AVCRAD48N	Mounting cradle 4.8mm (per 100)
AVCRAD78N	Mounting cradle 7.8mm (per 100)

## Cable Cleats



- Black polypropylene
- Single screw fixing
- See page 68 for cleat selection chart

Code	Description
AVCL5	12.7mm diameter (per 100)
AVCL6	15.2mm diameter (per 100)
AVCL7	17.8mm diameter (per 100)
AVCL8	20.3mm diameter (per 100)
AVCL9	22.8mm diameter (per 100)
AVCL10	25.4mm diameter (per 100)
AVCL11	27.7mm diameter (per 100)
AVCL12	30.5mm diameter (per 50)
AVCL14	35.5mm diameter (per 50)
AVCL16	40.6mm diameter (per 50)
AVCL18	45.7mm diameter (per 50)
AVCL20	50.8mm diameter (per 50)

## Sleeving




- Size stated is internal diameter
- Operating temperature -20°C to +70°C
- 100 metre coil

Code	Description
<b>2MM PVC</b>	
AVPS2GY	Green/yellow
<b>3MM PVC</b>	
AVPS3BLU	Blue
AVPS3BRN	Brown
AVPS3GY	Green/yellow
<b>4MM PVC</b>	
AVPS4BLU	Blue
AVPS4BRN	Brown
AVPS4GRY	Grey
AVPS4GY	Green/yellow
<b>6MM PVC</b>	
AVPS6BLU	Blue
AVPS6BRN	Brown
AVPS6GY	Green/yellow
<b>8MM PVC</b>	
AVPS8GY	Green/yellow
<b>10MM PVC</b>	
AVPS10GY	Green/yellow



## Connector Strips



- Made from polyethylene
- Not self extinguishing

Code	Description
<b>AVCS5</b>	5 amp 10 way natural
<b>AVCS15</b>	15 amp 10 way natural
<b>AVCS30</b>	30 amp 10 way natural

## Gaffer Tape



- 50mm x 50 metre reel
- General purpose cloth tape

Code	Description
<b>AVGT BLACK</b>	Black
<b>AVGT SILVER</b>	Silver/grey

## PVC Grommets



Code	Description
<b>OPEN</b>	
<b>AVGR20O</b>	20mm (per 100)
<b>AVGR25O</b>	25mm (per 100)
<b>AVGR32O</b>	32mm (per 50)
<b>CLOSED</b>	
<b>AVGR20C</b>	20mm (per 100)
<b>AVGR25C</b>	25mm (per 100)
<b>AVGR32C</b>	32mm (per 50)


## Underground Warning Tape



- Complies to BS 2848 Type 3
- 150mm x 365 metre reel

Code	Description
<b>AVHEPTAPE</b>	Underground warning tape

## PVC Insulation Tape



- 19mm x 33 metre reel
- Complies with BS 3924
- Flame retardant

Code	Description
<b>AV1933 BLACK</b>	Black
<b>AV1933 BLUE</b>	Blue
<b>AV1933 BROWN</b>	Brown
<b>AV1933 GREEN</b>	Green
<b>AV1933 GRN/YEL</b>	Green/yellow
<b>AV1933 GREY</b>	Grey
<b>AV1933 RED</b>	Red
<b>AV1933 WHITE</b>	White
<b>AV1933 YELLOW</b>	Yellow

## Insulated Connector Blocks




- 240V
- For indoor use only

Code	Description
<b>AVCB25DP</b>	60A double pole 2 x 5 way
<b>AVCB25SP</b>	60A single pole 5 way
<b>AVCB35DP</b>	100A double pole 2 x 5 way
<b>AVCB35SP</b>	100A single pole 5 way



# Cable Accessories


## IP54 Nylon Compression Glands



- Complete with locknuts

Code	Description
<b>AVCG251B</b>	20mm small black (per 100)
<b>AVCG251R</b>	20mm small red (per 100)
<b>AVCG251W</b>	20mm small white (per 100)
<b>AVCG252B</b>	20mm large black (per 100)
<b>AVCG252R</b>	20mm large red (per 100)
<b>AVCG252W</b>	20mm large white (per 100)

## IP68 Polyamide Glands



- IP68
- Complete with locknut

Code	Description
<b>GREY</b>	
<b>AVCGLNM16G</b>	16mm (each)
<b>AVCGLNM20SG</b>	20mm small (each)
<b>AVCGLNM20LG</b>	20mm large (each)
<b>AVCGLNM25G</b>	25mm (each)
<b>AVCGLNM32G</b>	32mm (each)
<b>RED</b>	
<b>AVCGLNM20SR</b>	20mm small (each)
<b>AVCGLNM20LR</b>	20mm large (each)
<b>BLACK</b>	
<b>AVCGLNM25B</b>	25mm (each)
<b>AVCGLNM32B</b>	32mm (each)
<b>WHITE</b>	
<b>AVCGLNM25W</b>	25mm (each)

## Cable Joint Kits



- Kit contains clear mould, resin pack, earth continuity, gloves and sealing tape
- For copper and aluminium cables

Code	Description
<b>AVSCJ0722</b>	7-22mm cable diameter
<b>AVSCJ1430</b>	14-30mm cable diameter
<b>AVSCJ2037</b>	20-37mm cable diameter
<b>AVSCJ2542</b>	25-42mm cable diameter

## Insulated Terminals

- Vinyl insulation
- Flared entry terminal
- Red - 0.5-1.5mm wire size
- Blue - 1.5-2.5mm wire size
- Yellow - 2.5-6.0mm wire size

## Ring Terminals



Code	Description
<b>RED</b>	
<b>AVIRR37</b>	3.7mm red (per 100)
<b>AVIRR43</b>	4.3mm red (per 100)
<b>AVIRR53</b>	5.3mm red (per 100)
<b>AVIRR65</b>	6.5mm red (per 100)
<b>BLUE</b>	
<b>AVIRB43</b>	4.3mm blue (per 100)
<b>AVIRB53</b>	5.3mm blue (per 100)
<b>AVIRB65</b>	6.5mm blue (per 100)
<b>YELLOW</b>	
<b>AVIRY43</b>	4.3mm yellow (per 100)
<b>AVIRY53</b>	5.3mm yellow (per 100)
<b>AVIRY65</b>	6.5mm yellow (per 100)

## Female Push On Terminals




Code	Description
<b>AVIFPR63</b>	6.3mm red (per 100)
<b>AVIFPB63</b>	6.3mm blue (per 100)
<b>AVIFPY95</b>	9.5mm yellow (per 100)

## Wire Pin Terminals



Code	Description
<b>AVIPR12</b>	12mm red (per 100)
<b>AVIPB12</b>	12mm blue (per 100)
<b>AVIPY14</b>	14mm yellow (per 100)

## Butt Splice Terminals



Code	Description
<b>AVISR15</b>	Red (per 100)
<b>AVISB25</b>	Blue (per 100)
<b>AVISY6</b>	Yellow (per 100)



## Copper Terminals

- Heavy duty copper tube
- Bell mouth entry
- 6mm to 300mm cable sizes
- Manufactured to BS 2871/C106



Code	Description
AVT6-6	6mm x 6mm hole (each)
AVT6-8	6mm x 8mm hole (each)
AVT6-10	6mm x 10mm hole (each)
AVT10-6	10mm x 6mm hole (each)
AVT10-10	10mm x 10mm hole (each)
AVT10-12	10mm x 12mm hole (each)
AVT16-6	16mm x 6mm hole (each)
AVT16-8	16mm x 8mm hole (each)
AVT16-10	16mm x 10mm hole (each)
AVT16-12	16mm x 12mm hole (each)
AVT25-6	25mm x 6mm hole (each)
AVT25-8	25mm x 8mm hole (each)
AVT25-10	25mm x 10mm hole (each)
AVT25-12	25mm x 12mm hole (each)
AVT35-6	35mm x 6mm hole (each)
AVT35-8	35mm x 8mm hole (each)
AVT35-10	35mm x 10mm hole (each)
AVT35-12	35mm x 12mm hole (each)
AVT50-6	50mm x 6mm hole (each)
AVT50-8	50mm x 8mm hole (each)
AVT50-10	50mm x 10mm hole (each)
AVT50-12	50mm x 12mm hole (each)
AVT50-14	50mm x 14mm hole (each)
AVT70-8	70mm x 8mm hole (each)
AVT70-10	70mm x 10mm hole (each)
AVT70-12	70mm x 12mm hole (each)
AVT70-14	70mm x 14mm hole (each)
AVT70-16	70mm x 16mm hole (each)
AVT95-8	95mm x 8mm hole (each)
AVT95-10	95mm x 10mm hole (each)
AVT95-12	95mm x 12mm hole (each)
AVT95-16	95mm x 16mm hole (each)
AVT120-8	120mm x 8mm hole (each)
AVT120-10	120mm x 10mm hole (each)
AVT120-12	120mm x 12mm hole (each)
AVT120-14	120mm x 14mm hole (each)
AVT120-16	120mm x 16mm hole (each)
AVT150-10	150mm x 10mm hole (each)
AVT150-12	150mm x 12mm hole (each)
AVT150-14	150mm x 14mm hole (each)
AVT150-16	150mm x 16mm hole (each)
AVT185-10	185mm x 10mm hole (each)
AVT185-12	185mm x 12mm hole (each)
AVT185-14	185mm x 14mm hole (each)
AVT185-16	185mm x 16mm hole (each)
AVT240-12	240mm x 12mm hole (each)
AVT240-14	240mm x 14mm hole (each)
AVT240-16	240mm x 16mm hole (each)
AVT300-12	300mm x 12mm hole (each)
AVT300-16	300mm x 16mm hole (each)

## Butt Splice Terminals



- Heavy duty copper tube
- 6mm to 95mm cable sizes

Code	Description
AVT6BS	6mm (each)
AVT10BS	10mm (each)
AVT16BS	16mm (each)
AVT25BS	25mm (each)
AVT35BS	35mm (each)
AVT50BS	50mm (each)
AVT70BS	70mm (each)
AVT95BS	95mm (each)

## Tooling NEW



AVWS6

AVCC35

Code	Description
AVCC35	Cable cutter up to 35mm
AVCC50	Cable cutter up to 50mm
AVCC240	Cable cutter up to 240mm
AVWS6	Wire strippers 0.13-6.0mm
AVRCT6	Ratchet crimp tool 0.5-6mm
AVRCT6K	Ratchet crimp tool kit with 5 dies
AVCLT50	Crimp tool non-ratchet 6-50mm
AVCLT150	Crimp tool non-ratchet 25-150mm